

Name:

Class:

Date:

WEEK TO WEEK RESULTS of AQUAPONIC ECOSYSTEMS

WEEK 1

TANK # _____

Date	Temperature	pH	Ammonia	Nitrite	Nitrate
Optimal Range	60°F - 75°F	6.5 - 7.5	0 - 0.5 ppm	0 - 1.0 ppm	< 40 ppm

WEEK 2

TANK # _____

Date	Temperature	pH	Ammonia	Nitrite	Nitrate
Optimal Range	60°F - 75°F	6.5 - 7.5	0 - 0.5 ppm	0 - 1.0 ppm	< 40 ppm

WEEK 3

TANK # _____

Date	Temperature	pH	Ammonia	Nitrite	Nitrate
Optimal Range	60°F - 75°F	6.5 - 7.5	0 - 0.5 ppm	0 - 1.0 ppm	< 40 ppm

WEEK 4

TANK # _____

Date	Temperature	pH	Ammonia	Nitrite	Nitrate
Optimal Range	60°F - 75°F	6.5 - 7.5	0 - 0.5 ppm	0 - 1.0 ppm	< 40 ppm

WEEK 5

TANK # _____

Date	Temperature	pH	Ammonia	Nitrite	Nitrate
Optimal Range	60°F - 75°F	6.5 - 7.5	0 - 0.5 ppm	0 - 1.0 ppm	< 40 ppm

