Maine Asthma Action / Management Plan

Name: D	ate of Birth:	Personal Best / Predicte	ed Peak Flow:
Symptoms:	Action to Take:		
GREEN ZONE		PEAK FLOW =	<u></u>
You are doing great if: You aren't coughing, wheezing or having	☐ Continue to take your regular controller medicines every day (see blue box below). ☐ Controller medicine is not needed		
difficulty breathing You can sleep through the night without waking up with cough	Use your quick relief medication every 4-6 hours if needed for symptoms of cough, wheeze, shortness of breath or dropping peak flows (see yellow zone)		
 You can do your usual activities Your peak flow is 80-100% of personal best 	□ Exercise pre-treatment: Take your quick relief inhaler10-19 minutes before exercise (fill in name of inhaler and # of puffs) □ No exercise pre-treatment needed Avoid your triggers:		
YELLOW ZONE		PEAK FLOW =	
TELLOW ZONE	Keep taking your controller medicines.		
	START QUICK RELIEF MEDICATION: ($\sqrt{\text{appropriate box (es); specify dose)}}$		
Your asthma is getting worse if:	Make sure that your inhal		use a spacer/ chamber
	☐ Xopenex MDI puffs		
 You are coughing, wheezing, short of breath, and using quick relief medicine 	☐ Xopenex nebmg	☐ Albuterol nebmg	Every 4-6 hours as needed
more than 2 extra times per week	☐ Other:		
You are waking at night due to cough or	U Other.		
wheeze more than 2 times a month		· · · · · · · · · · · · · · · · · · ·	
 You can't do regular activities Your peak flow is 50-80% of personal 	*If AT SCHOOL, give the quick relief inhaler, then CALL PARENT; may repeat medicine in 10 minutes if not back into green zone.		
best			
*If quick relief medicine is not working or you are not getting better in 24-48			etter in 24-48 hours, call your
	healthcare provider.		-
RED ZONE : GET HELP NOW if:	PEAK FLOW <		
You are very short of breath	Take a nebulizer treatment or 4 puffs of quick relief inhaler medicine <u>now</u>		
 You have a hard time walking or talking 	→ If at school, also notify parent		
Skin in your neck or between ribs pulls in Your quiek relief modising is not beloing.	Call your healthcare provider <u>now</u> or go to the emergency department OR Call 911		
 Your quick relief medicine is not helping Your peak flow < 50% of personal best 	Other instructions:		
·			
Controller Medications for Persistent	Astnma: Controller Medication	Dose	Frequency
 Use your regular preventive controller medication EVERY DAY as prescribed by your doctor. This will help your asthma stay in control by decreasing the number of asthma flares and by improving your overall lung health. 	☐ Budesonide Respules	□ 0.25mg □ 0.5mg □ 1.0mg	times/day
	☐ Pulmicort Flexhaler	□ 90mcg □ 180 mcg	puffs times/day
	☐ Fluticasone (Flovent)	☐ 44mcg ☐ 50mcg diskus	puffs times/day
	<u> </u>	□ 110mcg □ 220mcg	
	☐ Montleukast (Singulair)	□ 4mg □ 5mg □ 10mg	At bedtime
	☐ Asmanex 220 mcg ☐ Symbicort	□ 80/4.5 □160/4.5	puffs times/day 2 puffs twice daily
	☐ Advair diskus	□ 100/50 □ 250/50 □ 500/50	1 puff twice daily
	□ O#		_
	Utner:		
If patient is a student in school or dayo	are: Parent / Gua	ardian Phone Numbers:	
TO BE COMPLETED BY PARENT / GUARDIAN:			
My child may carry and use his / her:			
Inhaled Asthma Medicine ☐ Yes ☐ No	Epi-Pen ☐ Yes ☐ No [□ N/A	
I authorize the exchange of medical information a	about my child's asthma betwee	en the physician's office and school nu	ırse.
PARENT / GUARDIAN SIGNATURE:		_ Date:	
TO BE COMPLETED BY PHYSICIAN / HEALTHC,	ARE PROVIDER: NO cha	nges from previous plan	
This student has the knowledge to carry and use:			Pen □ Yes □ No
Please contact healthcare provider and parent if		-	
HEALTHCARE PROVIDER NAME :	= :		-
HEALTH CARE PROVIDER SIGNATURE:			
TO BE COMPLETED BY SCHOOL NURSE: Main appropriate use to school nurse. This student der SCHOOL NAME:	e law now permits students to monstrates knowledge / skill to	carry and use inhaled medications an carry and use: Quick Relief Inhaler [d epi-pen after demonstrating <mark>□ Yes □ No Epi-Pen□ Yes □ N</mark>
FAY#: PHONE #:	55552 115110E 01011AT	MAIL:	PEVISED 11/30/